



Tel: +44 (0)1302 364 666 Fax: +44 (0)1302 364 777 sales@intastop.com www.intastop.com

Follow us on: Twitter, Facebook, LinkedIn & Instagram










Solutions & Product Guide V5 May 2021



With over 25 years of being a market leader in the specialist field of anti-ligature, Intastop offer solutions that focus on prevalent issues such as safety, reduction of ligature, increased strength and abuse resistance, privacy, access control and compliance with building regulations.



Contents

Solutions SECURA™ Bedroom Solution 04-05 **SECURA™** Ensuite Solution 06-07 **SECURA™** Communal Area Solution 08-09 **Products** Post Formed Doors & Frames 10-11 12-13 Door Top Alarm Solution **SECURA**™ Hinge 14-15 **NEW** Shrouded Double Swing Hinge 16-17 Double Swing Hinge Solution Removable Doorstops **I**Vision IPC™ Anti-Ligature PVC Handrails Solid Wood Handrails **INTA**Switch Anti-Ligature Locks 30 31 Protecting Doors and Places

Bedroom Solution

SECURA™ Solution

Bedroom

Providing a comfortable, relaxing and safe environment is essential to the well-being and progress of a service user's rehabilitation. Bedrooms should be an area of solace where care and safety is of uppermost importance.

Featured Solutions



Door Top Alarm



Privacy Vision Panels



SECURA™*Hinge;* helps reduce the risk of potential suicide and self harm.



Anti-Ligature Locks



Removable Doorstops





Concealed Door Closers

Closer – can be positioned as low 300mm from the base of the do nd works with the **SECURA™** Hinge.



Easy access in event of barricade





SECURA™ Solution

Ensuite

Ensuites are a high privacy area. Service users and staff need to have confidence that this room will provide discretion and safety. To ensure these are achieved we, at Intastop, have developed a range of products that will offer both privacy and protection.



Featured Solutions




Door Top Alarm





Electrical Transfer Hinge





Anti-Ligature Locks



Post-Formed Doors



www.intastop.com

SECURA™ Solution

Communal Area

Communal areas are often seen as the heart of a facility where many users, staff, family and friends pass through or meet. The touch points in these high traffic areas are subjected to high usage and often require more frequent maintenance.

maintenance as well as looking great! Our portfolio renowned **SECURA**TM and Double Swing Hinge.



Featured Solutions



Continuous Geared Hinges





Anti-Ligature Locks



Anti-Ligature Handrails



Post-Formed Doors & Frames

Complete encasement of doors and frames.



Class 'O' Fire Rated; tested to BS476 Parts 6 & 7



Reduces maintenance costs



Impact and water resistant



Features

Standard finish PVC-u, available in a wide range of colours.

Ensures staff and patient safety in the event of a fire by maintaining fire integrity of the door allowing safe evacuation.

ensuring staff and patient hygiene safety.


Keeps staff and patients safe by protecting them from exposed damaged timber edges.

Peace of mind that doors such as bathrooms are protected without the risk of swelling.


Order details

Order code	Description	Size
FSA-PF	Antibacterial Textured Impact Sheet Post-formed	Please specify
FSS-PF	Smooth Impact Sheet Post-formed	Please specify






Standard Post-Formed Frame



Integral Arc Frame



Post-Formed Door & Frame







Protecting People www.intastop.com

Bedroom & Ensuite Products

Door Top Alarm Solution

Helps prevent suicide at the tops of doors.

Improves safety of patients

Enables immediate staff response

Tamper proof preventing false alarms


Revolutionary Door Top Alarm

If the top of the alarm is pressed nothing will happen until the

Electrical Transfer Hinge

Power transfer to the door goes via Intastop's Electrical






Electrical Transfer Hinge is performance tested to 1.25 million cycles.

Enables staff to respond immediately to attempted suicides and emergency situations.

Safe and secure power supply through hanging stile





Order details (Door Top Alarm)

Order code	Description	Length (mm)
DTA-01-AA-44	Door Top Alarm to suit 44mm width door	Up to 950
DTA-01-AA-54	Door Top Alarm to suit 54mm width door	Up to 950
DTA-ECB	Door Top Alarm Electrical Control Box	N/A
DTA-MAGNET	Door Top Alarm Inspection Magnet	N/A
COMMISSIONING	Commissioning of Door Top Alarm +1 year Planned Maintenance	

Email our sales team: sales@intastop.com

Order details (Electrical Transfer Hinge)

Order code	Description	To Suit Door Width (mm)	Action	Duty	Length (mm)
HFM-01-EM	Full Mortice Electrical Transfer Hinge with smoke seal - 4 wire	44 or 54	Single Swing	Standard Heavy or Extreme	200
HFM-01-AA	Full Mortice Hinge	44 or 54	Single Swing	Standard Heavy or Extreme	2100 or 2400
HAL-DC-SAA	Anti-Ligature Aluminium Domed Cap	44 or 54	Single Swing	N/A	N/A
HDS-01-EM	Double Swing Electrical Transfer Hinge with smoke seal – 4 wire	44	Double Swing	Severe**	2100 or 2400
HDS-01-AA	Double Swing Hinge	44	Double Swing	Severe**	2100 or 2400

Please note that Intastop offers a range of measures designed to reduce the risk of self-harm or suicide, and does not offer any guarantee that it will not take place. The solutions have been designed as a deterrent only.

Why not request a demonstration - call one of our sales advisors: +44 (0)1302 364 666 * Subject to Intastop's warranty policy.

SECURA™*Hinge*

Top-to-bottom hinge safety. Closing the gap on Safety and Aesthetics.



Fire tested to BS476: Part 20 & 22 for 30 & 60 minutes



(1) Grade 1 abuse tested



View BIM information


www.intastop.com

HAL-AA: Full Mortice Anti-Ligature **SECURA**™*Hinge*

A Concealed Closer Solution


of the **SECURA**™*Hinge* with the power of When used in conjunction with Intastop's **SECURA**™*Hinge* the Perko Powermatic® Closer can be positioned as low as 300mm from the base of the door. The closer is Fire Tested to BS EN 1634 for 30 and 60 minutes. Opening forces comply with Approved Document M.

Geared **SECURA**™*Hinge* has a special



Anti-Ligature Tip minimises potential gap

New softened bearing





New bearing eradicates the gap

Intastop's **SECURA**™*Hinge* can be used on new or existing doors and is applied so as to conceal both leaves. Unlike conventional hinges, the **SECURA**[™]*Hinge* does not have a on Delrin-Teflon bearings. These softened bearings greatly reduce the ligature between the bearing and hinge leaves

trapped. A durable, long-term solution lasting for the life time







Order details

Order code	Description	Duty	Length (mm)
HAL-AA	Full Mortice Anti-Ligature Secura Hinge	Standard, Heavy or Extreme	2100 or 2400
HINGE- SEALPACK	Intastop Full Mortice Hinge Fire/Smoke Seal Pack FD30/FD60		2100 or 2400
PPO-01-AA	Perko Powermatic Door Closer		
PPO-01-AA-FS	Perko Powermatic Free Swing Door Closer		
HFF-01-DC	Finger Safety Hinge with Domed Cap	Standard or Heavy Duty	2100 or 2400


NEW

Shrouded Double Swing Hinge


Finger Safe Hinge for Swift opening in emergency situations



Finger Safe –complies to UK & European standards




Fire Tested to BS476:Part 20 & 22 for 30 minutes














Fire Tested to BS 476: Part 20 & 22 for 30 minutes.

Helps reduce the risk of potential suicide and self harm.

Order details

Order code	Description	Duty	Door Rating
HSDS-V2-AA_2.1	Shrouded Double Swing Hinge - 44mm Door	Severe	160kg (grade 6)
	Can be used with concealed closer if required:		
IDC-01-AA	Concealed Floor Mounted Door Closer	N/A	
IDC-01-AA- INVERSE	Concealed Frame Mounted Door Closer	N/A	

Protecting People www.intastop.com

Double Swing Hinge Solution

Swift opening for emergency situations.



Swings 90° in both directions



Fire tested to European Standard EN1634-1 2000 to 30 minutes



Performance tested to European Standard BS EN:1935



Double Swing Hinge

This solution is ideal for doors that need to swing 90° in both directions (180°) and eliminates the possibility of pivot doors splitting on impact. It provides an ideal solution for busy corridor doors which are exposed to impact damage and toilet/shower room doors where there is a risk of barricade or patients collapsing in the room. The Double Swing Hinge is designed for 44mm doors; for doors greater than 44mm an additional packer piece is available, which allows the hinge to fully open 90° in both directions.

Concealed Closer

Mental health has special dispensation which states a closer can be exempt on fire doors to bedrooms in mental health accommodation (HTM05-02). Intastop are now able to give end users the choice. The patented Double Swing Hinge works with a concealed floor or frame mounted closer meaning there is the option that combines both reduced ligature and the possibility for a closer for bedrooms in mental health applications. This anti-ligature closer has a closing force size 3-6 and is suitable for leaf widths up to 1100mm. For further information please see the Intastop website www.intastop.com.

Order details

18

Order code	Description	Duty	Length (mm)
HDS-01-AA-AL-SS	Double Swing Hinge with Smoke seal Anti Ligature – 44mm Door	Severe	2100 or 2400
HDS-01-PACKER	Sapele Packer for Double Swing Hinge on Doors greater than 44mm		44 x 5
IDC-01-AA	Concealed Floor Mounted Door Closer & Arm Kit		N/A
IDC-01-AA-ARM	Arm Kit for Concealed Floor Mounted Close		
IDC-01-AA-INVERSE	Concealed Frame Mounted Door Closer		N/A
411ARL-DS	Non-Handed Full Mortice Automatic Door Bottom, up to 19mm gap seal		838, 915, 1000, 1200




Anti-Barricade

Combining the Intastop Double Swing
Continuous Geared Hinge and Removable
Doorstop, this unique patented
anti-barricade package offers quick
opening in emergency situations.

Improved Acoustic Performance

For improved acoustic performance a
Full Mortice Automatic Door bottom is
available to suit the Double Swing Hinge.





Features

Sight proof design (no gaps in hinge).

Achieved Severe Duty Impact ratina DD17

Performance tested to BS EN:1935

UK Patent GB 2451 276A

Tested to DHF TS 001:2013 B4 (0.5mm wire test)

Benefits


Gives patients privacy by removing usual gap between the door and frame.

Helps reduce the risk of potential suicide and self harm.

Light and easy to use for patients that are infirm or elderly

Finishe

Standard finish is Satin Anodised Aluminium (SAA)



Removable **Doorstops**

Helps eliminate barricade situations.



Easy access in event of barricade



Fire Rated EN1634-1 2000



Universal key

A safe and rapid solution

leading Mental Health Trust, this full-length, fire rated doorstop is ideal for bedroom and en-suite doors

Solves barricade problems

The Intastop Removable Doorstop provides quick emergency outward opening operation of doors that

Aluminium option



Features


Staff only need to carry one key to use on both Intastop Removable Door stop and Vision Panel (Lifeline Option).

Order details (Frame Mounted)


Order code	Description	Material	Mounting	Key Option	Size DxL (mm)
RDS-01	Continuous Removable Doorstop	Tulip Wood	Frame	4mm	50 x 2100 or 2400
RDS-02	Continuous Removable Doorstop	Hardwood Timber	Frame	4mm	50 x 2100 or 2400
RDS-04	Continuous Removable Doorstop	Aluminium	Frame	4mm	50 x 2100 or 2400
RDS-05	Continuous Removable Doorstop	Tulip Wood	Frame	8mm	50 x 2100 or 2400
RDS-06	Continuous Removable Doorstop	Hardwood Timber	Frame	8mm	50 x 2100 or 2400

Order details (Stop Mounted)

Order code	Description	Material	Mounting	Key Option	Size DxL (mm)
RDS-03	Continuous Removable Doorstop	Aluminium	Stop	Keyless	50 x 2100 or 2400
RDS-07	Continuous Removable Doorstop	Tulip Wood	Stop	8mm	50 x 2100 or 2400
RDS-08	Continuous Removable Doorstop	Hardwood Timber	Stop	8mm	50 x 2100 or 2400
RDS-09	Continuous Removable Doorstop	Tulip Wood	Stop	Lifeline	50 x 2100 or 2400
RDS-10	Continuous Removable Doorstop	Hardwood Timber	Stop	Lifeline	50 x 2100 or 2400



NSS BIM



Removable Doorstop **Timber Stop Mounted** Removable Doorstop Timber Frame Mounted

Removable Doorstop Aluminium Stop Mounted





www.intastop.com




Revolutionary



Stylish vision panel providing 80% visibility.







Features

Manually operated, no wiring/mains power required.

Interchangeable key to operate multiple devices.


Cycle tested to greater than 250,000 cycles.

Security and dignity of staff and service users assured using silent operation.

Monitor patients easier with near full visibility.

Staff only need to carry one key (lifeline) to operate multi devices

Operating mechanisms:





www.nationalbimlibrary.com/Intastop VIV-2 IVision Panel Open VIV-2 IVision Square Vision Panel Closed

Standard finish is clear to black. Operating mechanisms are Satin Anodised Aluminium (SAA) finish as standard.

Beading options

Beading options include hardwood timber beading, PVC-u Clad Beading in a variety of colours to eliminate damage or Stainless Steel frame for mental health applications.



Order code	Description	Size HxW (mm)
VP-IV-1	IVision Rectangular Vision Panel	804 x 254
VP-IV-2	IVision Square Vision Panel	404 x 404
VP-IV-3	IVision Rectangular Vision Panel	404 x 254
VP-IG-SS	Stainless Steel Surround	804 x 254, 404 x 404, or 404 x 254

Features


NEW

INTAGlaze

For assessing and preventing potential self-harm risks.



Staff overide on operating mechanism



Fire rated BS476 Part 20 & 22

Up to 41% visibility

recommended. INTAGlaze Privacy Vision Panels are as standard rectangular 254 x 804mm, 254 x 404mm, or 404 x 404mm square.

Beading options

Beading options include hardwood timber beading, PVC-u Clad

versized panels, up to 0.32m² nd smaller ones available.

Order code	Description	Size HxW (mm)
VP-IG-1	INTAGlaze Rectangular Vision Panel	80a4 x 254
VP-IG-2	INTAGlaze Square Vision Panel	404 x 404
VP-IG-3	INTAGlaze Rectangular Vision Panel	404 x 254
VP-IG-SS	Stainless Steel Surround	804 x 254, 404 x 404, or 404 x 254

ntastop Privacy Vision Panels are available with the option of Scotshield Ultra Safety film or with a solid



Operating mechanisms:

Staff only need to carry one key to use on both Intastop Removable Door stop and INTAGlaze Panel (Lifeline Key Option).


Ensures staff and patient safety in the event of a fire by maintaining fire integrity of the door allowing safe evacuation.

Peace of mind that the panel will last the life time of the door.

Etched Strip on standard vision panels is Pearl.

colour schemes and can be used to differentiate vision panel from the door.

Operating mechanisms are Satin Anodised Aluminium (SAA) finish as standard.




VIG-2: INTAGIaze Square Vision Panel



Beading options:





Why not request a sample or demonstration - call one of our sales advisors: +44 (0)1302 364 666

no aaps

IPCTM **Anti-Ligature PVC Handrails**

Safety and hygiene for mental health applications.



Designed to meet the HBN 00-04 Guidelines Designed to meet the Equality Act 2010 and



Impact resistant




26


Available in a wide range of colours

800 Handrail with Anti-ligature Combi-Rail










Comfortable grip diameter and thumb groove.




Finishes

1200 Combined Handrail with Anti-ligature Combi-Rail






3130 Oval Combined Handrail with Anti-ligature Combi-Rail



Older defails		
Order code	Description	Size HxL (mm)
I-HR-1200 & WAL-01	1200 Combined Handrail - Timber baton & PVC-u cover	159 x 3660



Please note that Intastop offers a range of measures designed to reduce the risk of self-harm or suicide, and does not offer any guarantee that it will not take place. The solutions have been designed as a deterrent only.

Why not request a sample or demonstration - call one of our sales advisors: +44 (0)1302 364 666

Colours

Handrail finishes



Solid Wood Handrails

High quality handrails.



Designed to meet Designed to meet

HBN 00-04 guidelines




Antibacterial coating




High quality wood finish



Options





≧ HBN 00-04 CRW-04-DM Anti-Ligature HBN 00-04

Order details

Order code	Description	Length (mm)
ICRW-04-DM	Anti-Ligature HBN 00-04 Solid Wood Handrail	3000
ICRW-04	Anti-Ligature Solid Wood Combined Hand/Protection Rail	3000
ICRW-04-LR	Anti-Ligature Solid Wood Left Hand Wall Return	N/A
ICRW-04-RR	Anti-Ligature Solid Wood Right Hand Wall Return	N/A
ICRW-04-RA	Solid Wood Ramp Rise	TBA

Full hand grab, option available designed to meet HBN 00-04 guidelines.

Maintains a hygienic safe environment for patients and staff.

Provides comfortable safe grip for patients and staff.

Solid wood available in a range of finishes including Ash, Oak, Sapele, Maple, Cherry, Beech, Black Walnut and Iroko. Option of lacquered antibacterial coating.

NEW

INTASwitch

Switchable vision panel at the push of a button.



Provides 100% visibility



Fire tested to BS476 Part 20 & 22 for 30 and 60



Custom shaped panels



INTASwitch is a switchable vision panel, allowing discreet visibility into/ out of a room at the push of a button. In its frosted, unpowered state the

Mains power or battery operated (Battery is normally in closed state).

Hidden wiring for mains power version via electrical transfer hinge Switching - < 1 second.

Available in any size and numerous creative shapes.

Can be linked to data recording

Security and dignity of staff and service users assured using a

Monitor patients easier with increased visibility.

Size and shape tailor made to

Finishes

Coloured panels (grey, bronze, blue or green) available on request.

Order details

Order code	Description	Size HxW (mm)
VIS-1	INTASwitch Rectangular Vision Panel	800 x 250
VIS-2	INTASwitch Square Vision Panel	400 x 400
VIS-3	INTASwitch Rectangular Vision Panel	400 x 250
VIG-SS	Stainless Steel Surround	800 x 250, 400 x 400, or 400 x 250

Please note that Intastop offers a range of measures designed to reduce the risk of self-harm or suicide, and does not offer any guarantee that it will not take place. The solutions have been designed as a deterrent only.







Please note: Hardwood options are a natural product and if not stored correctly are subject to fluctuations in temperature/moisture and may distort. Intastop have no control over this once despatched, and thus cannot accept liability.

Anti-Ligature Locks

A safer environment for those in special care.



Reduces risk of client self-harm



Allows staff flexibility of choice based



Ensures privacy yet provides a level



All Lock Sets are designed to provide the client with privacy and

Features


Choice of reduced ligature pull handles.


Reduces risk of client self harm and barricade situation.

Allows staff flexibility of choice based on individuals.

Ensures privacy yet provides a level of security.











Whether new build or retro-fit to reduce maintenance costs,

Door & Frame Protection

Privacy Vision Panels

Revolutionary Vision Panels for privacy control and increased visibility.

For effective protection of buildings minimise maintenance costs whilst providing an aesthetically pleasing look

Handrails & Combi-Rails

High level of direct pedestrian guidance and protection against impact from wheeled traffic.

Exclusive UK distributor of

